

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier:	V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU(Contains:4-tert-Butylcyclohexyl acetate, Citral, Methyl salicylate)
Other identifiers:	V-SCN-HALO-CM-EU / GB-23-046-30
Unique Formula Identifier (UFI):	D7T0-40M6-W00H-JU9E

1.2 Relevant identified uses of the substance of mixture and uses advised against

Product uses: Urinal Screen

Uses advised against: Use only for intended applications

1.3 Details of the supplier of the safety data sheet

Company name:	Vectair Systems Ltd
Company address:	Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK
Contact:	Product Development
E-Mail address:	prod-dev@vectairsystems.com
Company phone:	+44 (0) 1256 319500 (Office Hours 09:00 to 17:00)

1.4 Emergency telephone number

Emergency phone: [UK]111;[IE]+353 (0)1 809 2166;[BE]+32 (0)70 245 245;[BG]+359 (0)2 9154 233;[CZ]+420 224 919 293/+420 224 915 402;[DK]+45 8212 1212;[AT]+43 (0)1 406 43 43;[GR]+30 210 779 3777; [ES]+34 91 562 04 20;[EE][LV][SI][SE]112;[FI]+358 (0)9 471 977;[FR]+33 (0)1 45 42 59 59; [HR]+385 (0)1 23-48-342;[HU]+36 (06) 80 201-199;[IS]+354 543 2222;[IT]0016506 68593726; [LT]+370 (8)5 236 20 52/+370 (8)6 875 33 78;[NL]+31 (0)30 274 8888;[NO]+47 22 59 13 00; [PT]800 250 250;[RO]+40 (0)21 318 36 06;[SK]+421(0)254774166

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under GB GHS UK SI 2020 No. 1567

Class and category of	Eye Damage / Irritation Category 2
danger:	Sensitization - Skin Category 1
	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
	H317, May cause an allergic skin reaction.
	H319, Causes serious eye irritation.
	H412, Harmful to aquatic life with long lasting effects.

2.2 Label elements

Classification under GB GHS UK SI 2020 No. 1567

Signal word: Warning



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product:	V-SCRI	EEN HALO - CITRUS MANGO V-S	CN-HALO-CM-EU			
Version:	1					
Hazard stater	nents:	H317, May cause an allergic skin H319, Causes serious eye irritatic H412, Harmful to aquatic life with	on.			
Supplementa Information:	I		3-cyclohexen-1-carboxaldehyde, 3,7-Dimethyloct-7-en-1-ol, aniol, Hexanal, Linalool, alpha-Pinene, beta-Pinene, d- ic reaction.			
Precautionary	y	P280, Wear protective gloves/eye P302/352, IF ON SKIN: Wash wit P305/351/338, IF IN EYES: Rinse lenses, if present and easy to do. P333/313, If skin irritation or rash P337/313, If eye irritation persists	 P273, Avoid release to the environment. P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P333/313, If skin irritation or rash occurs: Get medical advice/attention. P301, Dispose of contents/container to approved disposal site, in accordance with local regulations. 			
Pictograms:						
2.3 Other haz	ards					
Other hazard	s:	Sensitisers declared on a CLP Hazard Label: Hydrocarbon Concentration %:	2,4-Dimethyl-3-cyclohexen-1-carboxaldehyde, 3,7- Dimethyloct-7-en-1-ol, Benzyl salicylate, Eucalyptol, Geraniol, Hexanal, Linalool, alpha-Pinene, beta-Pinene, d-Limonene 1.5000%			

Section 3. Composition / information on ingredients

3.2 Mixtures

Contains:

Name	CAS	EC	GB REACH Registration No.	%	GB GHS UK SI 2020 No. 1567
Benzyl acetate	140-11-4	205-399-7		5-<10%	Aquatic Chronic 3; H412,-
Tricyclodecenyl propionate	17511-60-3	241-514-7		1-<5%	Aquatic Chronic 2; H411,-
Decanal	112-31-2	203-957-4			Eye Irrit. 2-Aquatic Chronic 3;H319-H412,-



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Methyl salicylate	119-36-8	204-317-7	1-<5%	Acute Tox. 4-Eye Dam. 1-Skin Sens. 1B-Repr. 2-Aquatic Chronic 3; H302-H317-H318- H361-H412,-
4-tert-Butylcyclohexyl acetate	32210-23-4	250-954-9	1-<5%	Skin Sens. 1B;H317,-
C11-15-Isoalkanes	90622-58-5	292-460-6	1-<5%	Asp. Tox 1;H304,-
Methyl beta-naphthyl ketone	93-08-3	202-216-2	1-<5%	Eye Irrit. 2;H319,-
Dihydromyrcenol	18479-58-8	242-362-4	1-<5%	Eye Irrit. 2-Skin Irrit. 2- STOT SE 3;H315- H319-H336,-
Citral	5392-40-5	226-394-6	1-<5%	Eye Irrit. 2-Skin Irrit. 2- Skin Sens. 1;H315- H317-H319,-
Menthol	89-78-1	201-939-0	1-<5%	Skin Irrit. 2;H315,-
Benzyl salicylate	118-58-1	204-262-9	0.1-<1%	Skin Sens. 1B-Aquatic Chronic 3;H317-H412,-
2,4-Dimethyl-3- cyclohexen-1- carboxaldehyde	68039-49-6	268-264-1	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,-
Eucalyptol	470-82-6	207-431-5	0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-
alpha-Pinene	80-56-8, 7785-26-4	201-291-9	0.1-<1%	Flam. Liq. 3-Acute Tox. 4-Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1-Asp. Tox 1- Aquatic Acute 1;H226- H302-H304-H315- H317-H410,-
beta-Pinene	127-91-3	204-872-5	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B- Aquatic Chronic 1-Asp. Tox 1-Aquatic Acute 1; H226-H304-H315- H317-H410,-
Hexanal	66-25-1	200-624-5	0.1-<1%	Eye Irrit. 2-Flam. Liq. 3- Skin Irrit. 2-Skin Sens. 1B;H226-H315-H317- H319
d-Limonene	5989-27-5, 138-86-3, 5989-54-8	227-813-5, 205-341-0, 227-815-6	0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1- Aquatic Chronic 3; H226-H304-H315- H317-H400-H412,-
Camphor	76-22-2, 21368-68-3	200-945-0	0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1- STOT SE 2-STO-SE 2_ROUTE-Aquatic Chronic 2;H228-H302- H315-H318-H332- H371-H411,-
Linalool	78-70-6	201-134-4	0.1-<1%	Eye Irrit. 2-Skin Irrit. 2- Skin Sens. 1B;H315- H317-H319,-
Borneol	507-70-0	208-080-0	0.1-<1%	Flam. Sol. 1-Skin Irrit. 2-Eye Dam. 1-Aquatic Chronic 2;H228-H315- H318-H411,-
3,7-Dimethyloct-7-en-1- ol	141-25-3	205-473-9	0.1-<1%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-
Geraniol	106-24-1	203-377-1	0.1-<1%	Skin Irrit. 2-Eye Dam. 1-Skin Sens. 1;H315- H317-H318,-



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

1

GB workplace exposure limits:

Name	CAS	EC	GB REACH Registration No.	%	GB GHS UK SI 2020 No. 1567
Camphor	76-22-2, 21368-68-3	200-945-0		0.1-<1%	Flam. Sol. 2-Acute Tox. 4-Acute Tox. 4-Skin Irrit. 2-Eye Dam. 1- STOT SE 2-STO-SE 2_ROUTE-Aquatic Chronic 2;H228-H302- H315-H318-H332- H371-H411,-

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation:	Remove from exposure site to fresh air, keep at rest, and obtain medical attention.
	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin exposure:	IF ON SKIN: Wash with plenty of soap and water.
Ingestion:	Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction. Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

1

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Urinal Screen: Use in accordance with good manufacturing and industrial hygiene practices.

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits:



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Ingredient	CAS	EC	Description	Value
	76-22-2, 21368-68-3 200-945-0		UK WEL Long term mgm3	13 mg/m³
Consultor		200-945-0	UK WEL Long term ppm	2 ppm
Camphor			UK WEL Short term mgm3	19 mg/m³
			UK WEL Short term ppm	3 ppm

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance:	Opaque Yellow Solid
Odour:	Characteristic
Odour threshold:	Not determined
pH:	Not determined
Melting point / freezing point:	Not determined
Initial boiling point / range:	> 100 °C
Flash point:	> 100 °C
Evaporation rate:	Not determined
•	
Flammability (solid, gas):	Not determined
Upper/lower flammability or explosive limits:	Product does not present an explosion hazard
Vapour pressure:	0.50708119 mmHg
Vapour density:	Not determined
Relative density:	Not determined
Solubility(ies):	Not determined



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Partition coefficient: n-octanol/water:Not determinedAuto-ignition temperature:> 200 °CDecomposition temperature:Not determinedViscosity:Not determinedExplosive properties:Not expectedOxidising properties:Not expected

9.2 Other information:

None available

Section 10. Stability and reactivity

10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information

11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in GB GHS UK SI 2020 No. 1567.

Acute Toxicity:	Based on available data the classification criteria are not met.
Acute Toxicity Oral	>5000
Acute Toxicity Dermal	Not Applicable
Acute Toxicity Inhalation	Not Available
Skin corrosion/irritation:	Based on available data the classification criteria are not met.
Serious eye damage/irritation:	Eye Damage / Irritation Category 2
Respiratory or skin sensitisation:	Sensitization - Skin Category 1
Germ cell mutagenicity:	Based on available data the classification criteria are not met.
Carcinogenicity:	Based on available data the classification criteria are not met.
Reproductive toxicity:	Based on available data the classification criteria are not met.
STOT-single exposure:	Based on available data the classification criteria are not met.
STOT-repeated exposure:	Based on available data the classification criteria are not met.



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Aspiration hazard:

Based on available data the classification criteria are not met.

Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
Methyl salicylate	119-36-8	204-317-7	890	Not available	Not available	Not available

Refer to Sections 2 and 3 for additional information.

Section 12. Ecological information

12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability:	Not available
12.3 Bioaccumulative potential:	Not available
12.4 Mobility in soil:	Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of GB REACH UK SI 2020 No. 1577.

12.6 Other adverse effects: Not available

Section 13. Disposal considerations

13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	Not classified	-	-	-	-
IMDG	Not classified	-	-	-	-
ADR,RID,ADN	Not classified	-	-	-	-
ΙCAO ΤΙ	Not classified	-	-	-	-

14.5 Environmental hazards:

Not environmentally hazardous for transport

14.6 Special precautions for user:

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

None additional

Not classified



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SDS Reference No.: SDS_1158 14.8%

Total % of high VP components (VOC):

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits:	EDI 2=29.31% SS 1=55.56% EH C3(GB)=15.16%
Total Fractional Values:	EDI 2=3.41 SS 1=1.80 EH C3(GB)=6.59
Key to revisions:	

Not applicable

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 4	Acute Toxicity - Oral Category 4
Acute Tox. 4	Acute Toxicity - Inhalation Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Dam. 1	Eye Damage / Irritation Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
Flam. Sol. 1	Flammable Solid, Hazard Category 1
Flam. Sol. 2	Flammable Solid, Hazard Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H371	May cause damage to organs (organs, exposure route).



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

er/shower.
nd easy to

Vectair Systems Ltd, Unit 3, Trident Centre, Armstrong Road, Basingstoke, Hampshire, RG24 8NU, UK



SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

Product: V-SCREEN HALO - CITRUS MANGO V-SCN-HALO-CM-EU

Version:

Repr. 2	Toxic to Reproduction Category 2
STOT SE 2	Specific Target Organ Toxicity (Single Exposure) Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.